GULF PIPE
SUPPLY W.L.L.
BAHRAIN

ONE STOP FOR ALL YOUR

INDUSTRIAL

NEEDS

Pipes, Flanges, Valves, Structural Material,
Instrumentation, Gaskets, Fasteners,
Spectacle Blinds, Strainers





Carbon Steel, Stainless Steel,
Duplex, Super Duplex,
Alloy Steel, Inconel,
Monel, Titanium

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.)
www.gulfpipebahrain.com
akmal@gulfpipesupply.com / sales@gulfpipesupply.com

GULF PIPE SUPPLY W.L.L. (BAHRAIN)

Gulf Pipe Supply W.L.L. is a part of Gulf Pipe Supply & Servicess (GPSS) & leading stockholder and distributer of complete piping materials in the Kingdom of Bahrain since (2009) and also in Kingdom of Saudi Arabia (KSA) since last 25 years. Over the years we were able to fulfill the requirements of our clients from different market sectors including oil & Gas, petrochemicals, construction and others.

With the strongest technical expertise and widest range of products across all our customer segments, In addition we are able to fulfill your complete project packages including carbon steel and exotic materials with high degree of professionalism and commitment to quality, delivery and price.

We offer the most comprehensive stainless steel stocks in KSA, with further backup from our continental suppliers enabling us to fulfill complete bulk material supplies for Projects and day-to-day requirements.

Of the highest quality stainless steel products. Our stock range includes Seamless & Welded Pipes, Tubes, Butt Weld Fittings, Forged Fittings, Flanges and Compression Fittings.

We have rich and vast experience in serving large EPC contractors, engineering companies, and fabricators for their top-up requirements for their projects in KSA as we carry adequate stocks in our well-equipped warehouse facility which is ideally located in Al-Jubail city (KSA) providing easy access for the incoming and ongoing goods. We have become a major player in the market of stainless steel due to the high level of reputation, unique relations with the major manufacturers around the world, and the stock portfolio built over the years. With major expansion plans on the anvil, it will be our pleasure to partner with you for mutual benefit.

Knowledge international standards of, technologically changes industrial systems we are dedicated to provides seds the best and economical solutions to valued customers there we are many variations of the majority have suffered.

OUR VISION

Cost effective supply and service solutions for the industry for the present and future.

OUR MISSION

To achieve total customer satisfaction by providing sincere and continuous services to their focused needs, to develop and maintain customer friendly solutions and to be a trust - worthy business partner for mutual growth.



MOHAMMED EID RASHID AL KHATER
CEO



GULF PIPE
SUPPLY W.L.L.
BAHRAIN

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

OUR SERVICES



Gulf Pipe Supply W.L.L. adds value to its products through inventory management and logistics, machining operations and customized services. Our greatest strength, however, is undoubtedly our knowledge of products, materials and applications. Gulf Pipe Supply W.L.L. is a customer - focused organization specializing in meeting customers specific usage and processing requirements.







FACILITIES INCLUDE FABRICATION
CIVIL & MECHANICAL CONTRACTS
AS WELL AS TECHNICAL ADVICES
AND CARRYING OUT INSPECTIONS

We provide on HIRE Hydraulic Mobile Telescopic Cranes 18 to 300 MT Truck
Telescopic Boom Fully Hydraulic Motor Graders, Vibratory Roller 3, 5, 10 MT Forklifts

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com










- DRILLING
- WELDING
- MACHINING
- BLASTING
- CUTTING & ROLLING
- INDUSTRIAL POINTING
- HYDRO TESTING & RTR PIPING
- STEEL FABRICATION & ERECTION

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

PROJECTS

List of Successfully Completed Projects

1	Ex Works Shop Feb	Fabrication	Sep-07	Nov-07
2	Ex Works Shop Feb	Cutting, Bending of HDG Steel Grating	Oct-07	Dec-07
3	Hadeed Color Coating Project	Fabricatiuon & Supply of HDG Steel Grating	Nov-07	Dec-07
4	Saudi Pan Gulf	Pipe Section Rolling	Dec-07	Jan-08
5	Ex Works Shop Feb	Filter Aid Mix Tank Hooper	Jan-8	Jan-8
6	APC Projects	Fabrication & Supply of Trailers	Jan-08	Fab-08
7	Ex Works Shop Feb	Machining of baffle Plate	Apr-08	Apr-08
8	Ex Works Shop Feb	Misc Machining Works	May-08	May-08
9	APC ProjectKisco(Marafiq Site)	Machining Works	Jul-08	Jul-08
10	Kisco(arafiq Site)	Hydrotesting	Jan-09	May-09
11	Olayan Descon	Fabrication of Platform	Jan-09	May-09
12	MCE (JUPC)	Shutdown job	Jan-09	Jul-09
13	Inma Steel	Fabrication of Scrubbers	Feb-09	Mac-09
14	Risal	Maintenance Job	Feb-09	Mac-09
15	Sidem Saudi Ltd.	Maintenance Job	Apr-09	Jun-09
16	Azmeel (RC Project)	Fabrication of Ladders	May-09	Jul-09
17	Mountain Air Cap (beha)	Fabrication of Tank	Aug-09	Oct-09
18	Sulzer	Maintenance Job	Aug-09	Oct-09
19	Arabian Gulf Company	Supply Fabrication & Frection of Shed	Oct-09	Dec-09
20	Globe Marine Service	Supply Fabrication of Hopper	Mar-10	Jul-10
21	Ratary Engineering	Misc brass Warks	Mar-10	Jul-10
22	Samsung E&C	JERP Fabrication Work	Feb-11	Jan-11
23	Gusat Construction Co.Ltd	Supply, Fabrication, blasting & Painting of Pad Supports at QIPP Power Point	Feb-11	Jan-11
24	PSA Five Solios	Supply, Fabriction of structure for Ma'aden plant	Jan-13	Mar-13
25	Hyundai Eng.	Supply, Fabriction & HDG of Platform Structure at Ma'aden Site	Mar-13	Dec-14
26	China Chemical	Fabriction, Erection, Blasting & Painting Engineering CC7 of 20 mtr dia Tanks at Maaden Labour Acommodation Project	Jan-13	Nov-14
27	Tamimi Global Co.	Supply, Fabrication, Painting of pad Supports & Hand Rails	May-13	Mar-15
28	Wapstech Co.	Sandblasting of boiler Tubes of QIPP site	Nov-14	Feb-15
29	Sungbo Contracting Co.	Supply, Fabrication & HDG of Platform Structure at Yanbu Phase III	Mar-15	Jun-16
30	CNCEC	Blasting & Painting of Pipe In Wasit Gas Plant	Jan-16	Jun-16
31	Posco E&C	Pipe rack and support fabrication for 21 KM Sulfur Pipe Pipeline	Mar-15	Jau-16
32	Posco E&C	Blasting and Painting for Pipeline	Jan-16	Jul-16
33	MySCO Contracting	42 KM Utility Water RTR Pipeline Civil Earth Work, Right of Way, Excavation and burming	Dec-17	Jun-18
34	Arkad E&C	42 KM Utility Water RTR Pipeline Construction, Pump and Foundation Installation, Core Drilling, Manual Excavation	Dec-17	Aug-19
35	Technicas Reunidas TR	Fadhili Gas Plant Pipe Rail & Supports Fabrication & Installation	Aug-18	May-20
36	Sungchang E&C	Fadhili Gas Plant Pipe Rail & Supports Fabrication & Installation	Mar-18	Sep-20
37	Jana Chemical	Installation of HDPE Pipe	Apr-22	Apr-22
38	Best Energy	Fabrication & Welding Services for Cleaning Spools for PP-13	Apr-22	May-22
39	Best Energy	Fabrication & Welding Services for Cleaning Spools for PP-14	Jun-22	Jun-22
40	Best Energy	Fabrication & Welding Services for Sigma Spools PP-14	Jun-22	Jun-22
41	Best Energy	Supply of Cut Plate, Fabrication & Welding Services for Sigma Adopters PP-14	Jul-22	Jun-22
42	Best Energy	Supply of Cut Plate, Fabrication & Welding Services for Sigma Adopters PP-14	Jul-22	Aug-22
42	Best Energy	Supply of Cut Plate, Fabrication & Welding Services for Sigma Adopters PP-14	Jul-22	Aug-22
43	MA'ADEN	Sigmasolve Pipe Spools PP-13	Jul-22	Sep-22
44	Best Energy	Fabrication & Welding Services Pipe Spools MA'ADEN	Aug-22	Aug-22
45	METITO	Fabrication & Welding Services for Reducer and TEE Spools.	Sep-22	Oct-22
46	Gulf Cryo Saudi	Fabrication of Pipe Spools	Nov-22	Nov-22
47	Abdullatif Al Ai-Arbash Gen Cont Est	Core Cutting Using Diamond Coating	Dec-22	Dec-22
48	Abdullatif Al Ai-Arbash Gen Cont Est	Supply & Fabricaton of Skip Box	Jan-23	Jan-23
49	Abdullatif Al Ai-Arbash Gen Cont Est	Supply & Fabricaton of Riser Frames	Jan-23	Jan-23




STAINLESS STEEL PIPES

Duplex (S31803 / S32205/F51)
Super Duplex (S32750 / S32760/2507/F53/F55)
6% Moly (S31254/F44)
Nickel Alloys (400/625/825)
Copper Nickel (cuNi 70/30, 90/10)

CARBON STEEL PIPES





Products
Seamless : SCH 10, 20, STD, 40, 80, 160
EFW/ERW: SCH 10, 20, STD, 40

Standard/Grade
ASTM A312/A358
TP 316/316L, TP 304/304L, 310, 321

PRODUCTS	SIZE RANGE	STANDARD / GRADE
Carbon Steel-High Temperature		
Seamless: Sch 20, STD 30, 40, 60, XS, 80, 160, XXS	1/2"-24	ASTM - A53/A106 / API 5L GR. A/B
Welded: Sch.10, 20, STD, 30, 40, XS	"	ASTM- A120, ASTM A252 GR.2
Longtitudinal/Spiral	1/2"-24	API - X42, X52, X60, X65, X70, X80
	"	PSL1, PSL2
Alloy Steel		
Carbon Steel-Low Temperature	1/4"-16	ASTM-A335 P5, P9, P11, P12, P22
Seamless: Sch 20, STD, 40, 80.	"	ASTM A333, A671 GR.3, GR.6
	1/4"-16	
	"	

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

PIPE CHART

STAINLESS STEEL PIPE DIMENSION & WEIGHT-KG. PER MTR. (ANSI B36.19)

Nominal Bore		Outside Diameter	Schedule 5S		Schedule 10S		Schedule 40S		Schedule 80S		Schedule 160S		Schedule XXS	
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)
3	1/8	10.3	1.24	0.275	1.24	0.28	1.73	0.37	2.41	0.47	-	-	-	-
6	1/4	13.7	1.24	0.390	1.65	0.49	2.24	0.631	3.02	0.80	-	-	-	-
10	3/8	17.1	1.24	0.490	1.65	0.63	2.31	0.845	3.20	1.10	-	-	-	-
15	1/2	21.3	1.65	0.800	2.11	1.00	2.77	1.27	3.75	1.62	4.76	1.94	7.47	2.55
20	3/4	26.7	1.65	1.03	2.11	1.28	2.87	1.68	3.91	2.20	5.54	2.89	7.82	3.63
25	1	33.4	1.65	1.30	2.77	2.09	3.38	2.50	4.55	3.24	6.35	4.24	9.09	5.45
32	1 1/4	42.2	1.65	1.65	2.77	2.70	3.56	3.36	4.85	4.47	6.35	5.61	9.70	7.77
40	1 1/2	48.3	1.65	1.91	2.77	3.11	3.68	4.05	5.08	5.41	7.14	7.25	10.16	9.54
50	2	60.3	1.65	2.40	2.77	3.93	3.91	5.44	5.54	7.48	8.74	11.1	11.07	13.44
65	2 1/2	73.0	2.11	3.69	3.05	5.26	5.16	8.63	7.01	11.4	9.53	14.9	14.2	20.39
80	3	88.9	2.11	4.51	3.05	6.45	5.49	11.30	7.62	15.2	11.1	21.3	15.24	27.65
100	4	114.3	2.11	5.84	3.05	8.36	6.02	16.07	8.56	22.3	13.49	33.54	17.12	41.03
125	5	141.3	2.77	9.47	3.40	11.57	6.55	21.8	9.53	31.97	15.88	49.11	19.05	57.43
150	6	168.3	2.77	11.32	3.40	13.84	7.11	28.3	10.97	42.7	18.2	67.56	21.95	79.22
200	8	219.1	2.77	14.79	3.76	19.96	8.18	42.6	12.07	64.6	23.0	111.2	22.23	107.8
250	10	273.1	3.40	22.63	4.19	27.78	9.27	60.5	15.08	96.0	28.6	172.4	25.40	155.15
300	12	323.9	3.96	31.25	4.57	36.00	9.52	73.88	17.45	132.0	33.32	238.76	25.40	186.97
350	14	355.6	3.96	34.36	4.78	41.3	11.13	94.59	19.05	158.08	35.71	281.70	-	-
400	16	406.4	4.19	41.56	4.78	47.29	12.7	123.30	21.41	203.33	40.46	365.11	-	-
450	18	457.2	4.19	46.80	4.78	53.42	14.27	155.80	23.8	254.36	45.71	466.40	-	-
500	20	508.0	4.78	59.25	5.54	68.71	15.09	183.42	26.19	311.2	49.99	564.68	-	-
600	24	609.6	5.54	82.47	6.35	94.45	17.48	255.41	30.96	442.08	59.54	808.22	-	-

CARBON STEEL SEAMLESS PIPE DIMENSION & WEIGHT - KG. PER MTR. (ANSI B 36.10)

Nominal Pipe size		O/D	Schedule 10		Schedule 20		Schedule 30		Schedule STD		Schedule 40		Schedule 60		Schedule Extra Strong (XS)		Schedule 80		Schedule 100		Schedule 120		Schedule 140		Schedule 160		Schedule Double Extra Strong (XXS)	
mm	inch	mm	mm	kg/m	mm	kg/m	mm	kg/m	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.
3	1/8	10.3							1.73	0.37	1.73	0.37			2.41	0.47	2.41	0.47										
6	1/4	13.7							2.24	0.63	2.24	0.63			3.02	0.80	3.02	0.80										
10	3/8	17.1							2.31	0.84	2.31	0.84			3.20	1.10	3.20	1.10										
15	1/2	21.3							2.77	1.27	2.77	1.27			3.73	1.62	3.73	1.62							4.78	1.95	7.5	2.55
20	3/4	26.7							2.87	1.69	2.87	1.69			3.91	2.20	3.91	2.20							5.8	2.90	7.82	3.64
25	1	33.4							3.38	2.50	3.38	2.50			4.55	3.24	4.55	3.24							6.35	4.24	9.1	5.45
32	1¼	42.2							3.56	3.39	3.56	3.38			4.85	4.47	4.85	4.47							6.35	5.61	9.7	7.77
40	1½	48.3							3.68	4.05	3.68	4.05			5.08	5.41	5.08	5.41							7.14	7.25	10.2	9.56
50	2	60.3							3.91	5.44	3.91	5.44			5.54	7.48	5.54	7.48							8.74	11.11	11.07	13.4
65	2½	73.0							5.16	8.63	5.16	8.63			7.01	11.41	7.01	11.41							9.53	14.92	14.0	20.4
80	3	88.9							5.49	11.3	5.49	11.3			7.62	15.27	7.62	15.3							11.13	21.35	15.24	27.7
90	3½	101.6							5.74	13.57	5.74	13.57			8.08	18.63	8.08	18.63							-		16.2	34.1
100	4	114.3							6.02	16.07	6.02	16.07			8.56	22.3	8.56	22.3			11.13	29.32			13.5	33.5	17.12	41.03
125	5	141.3							6.55	21.77	6.55	21.77			9.53	30.9	9.53	30.9			12.7	40.2			15.9	49.11	19.0	57.4
150	6	168.3							7.11	28.26	7.11	28.26			10.97	42.5	10.97	42.6			14.3	54.2			18.3	67.5	21.95	79.22
200	8	219.1			6.35	33.3	7.0	36.8	8.18	42.5	8.18	42.55	10.31	53.10	12.7	64.6	12.7	64.6	15.1	75.92	18.3	90.4	20.6	106.9	23.0	111.27	22.23	108.0
250	10	273.0			6.35	41.7	7.8	51.3	9.27	60.3	9.27	60.31	12.70	81.50	12.7	81.5	15.1	96.0	18.3	114.7	21.44	133.8	25.4	158	28.6	172.3	25.4	155.9
300	12	323.9			6.35	49.7	8.4	65.2	9.53	73.8	10.31	79.73	14.30	109.0	12.7	97.4	17.5	132.0	21.4	160.0	25.4	187.8	28.6	208	33.3	238.7	25.4	187.0
350	14	355.6	6.35	54.6	7.92	67.8	9.53	81.3	9.53	81.3	11.13	94.55	15.10	126.4	12.7	107.4	19.0	158.0	23.8	196.0	27.8	224.8	31.8	263.5	35.7	291.7		
400	16	406.4	6.35	62.6	7.92	77.9	9.53	93.3	9.53	93.3	12.7	123.3	16.70	160.0	12.7	123.3	21.44	203.5	26.2	246.5	30.9	288.8	36.53	339	40.5	368.4		
450	18	457.0	6.35	70.5	7.92	87.7	11.13	122.4	9.53	185.0	14.27	156.0	19.05	286.0	12.7	138.6	23.8	254.6	29.36	306.8	34.8	363.8	39.7	408.3	45.2	459.4		
500	20	508.0	6.35	78.5	9.53	117.2	12.7	156.1	9.53	117.2	15.09	183.4	20.62	248.5	12.7	156.1	26.2	311.2	32.54	381.5	38.1	441.8	44.4	508	50.0	564.8		
550	22	559.0	6.35	86.5	9.53	129.0	12.7	171.8	9.53	129.0			22.20	294.0	12.7	171.8	28.6	373.6	34.9	451.4	41.3	527.8	47.6	606	54.0	672.6		
600	24	610.0	6.35	94.5	9.53	141.0	14.3	209.7	9.53	141.0	17.48	255.4	24.61	359.0	12.7	187.0	30.96	442.08	38.89	547.7	46.0	640.8	52.4	730.15	59.5	808.22		
650	26	660.0	7.92	127.0	12.7	203.0			9.53	153.0					12.7	202.7												
700	28	711.0	7.92	137.4	12.7	218.7	15.88	271.2	9.53	165.0					12.7	218.7												
750	30	762.0	7.92	147.3	12.7	234.6	15.88	292.18	9.53	176.8					12.7	234.7												
800	32	813.0	7.92	157.9	12.7	250.6	15.88	312.8	9.53	188.2	17.48	342.9			12.7	250.8												
850	34	864.0	7.92	167.8	12.7	266.6	15.88	332.1	9.53	200.3	17.48	364.8			12.7	266.8												
900	36	914.4	7.92	178.9	12.7	282.3	15.88	351.7	9.53	212.5	19.05	420.4			12.7	282.2												

A 106 Gr B

API - 5L : Gr B

A 333 Gr 6

A 335 P 5



GULF PIPE
ENGINEERING WORKS

GULF PIPE ENGINEERING (GPE)

Is a wholly-Owned Saudi Arabian industrial company primarily engaged in various parts and operations of petrochemical, Oil and Gas, Civil and Steel

Construction industries located in Al-Jubail, Saudi Arabia. It specialises in steel fabrication, machining, Boiler andtank erection, electromechanical, industrial maintenance, Sand blasting and painting works for the private

Establishes in 2006, GPE is one of the fastest growing steel companies in the kingdom. Over the years, GPE has successfully completed several notable projects with renowned local and international companies.

Quality, innovation and commitment paired with utmost excellence, professionalism, integrity, and accountability are our corporate reputation in the industry. We unceasingly serve with passion to exceed every client's expectations and endeavour to grow, expand and forge more long-term business relationship with core industries in the kingdom and beyond.

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

COMPLETE RANGE OF


OUTOKUMPU PRODUCTS


Stainless Steel Products


STAINLESS STEEL EFW PIPES | STAINLESS STEEL SHEETS
STAINLESS STEEL TUBES | ORNAMENTAL / DECORATIVE TUBES











+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

INDUSTRIAL PROJECTS



BLASTING & INDUSTRIAL PAINTING







PIPING, STEEL FABRICATION & ERECTION



HYDRO TESTING & RTR PIPING



+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

BUTT-WELD FITTINGS



STAINLESS STEEL & DUPLEX STEEL FITTINGS

Size	: 1/2"NB to 36"NB, ANSI B 16.9, MSS-SP-43
Schedule	: 10S/40S/80S/160S/XXS
Stainless Steel	: ASTM A 403 409-TP 304/304H/304L 316/316H/316L/316Ti/309/310/317L/321/347/904L
Duplex Steel	: ASTM A815-UNS S31803, S32750, S32760, S32205

CARBON STEEL, ALLOY STEEL & LTCS FITTINGS

Size	: 1/2"NB to 58" NB, ANSI B 16.9,
Schedule	: 10S/40S/80S/160S/XXS
Carbon Steel	: ASTM A 234 WPB, IS 1239 PART II
Alloy Steel	: ASTM A 234 WPB WP95, WP9, WPII, WP12, WP91
Low Temp. CS	: ASTM A-420 WPL6
Other Services	: Hot Dip Galvanizing, Sand Blasting

COPPER & NICKEL ALLOYS FITTINGS

Size	: 1/2" to 12"
Schedule	: 10S/40S/80S
Copper Nickel	: C70600 (90:10), C71500 (70:30), Nickel/Monel/Inconel / Hastelloy

TYPE

- Elbow (45 DEG, 90 DEG, 180 DEG)
- TEE - (Brred, Equal, Reducing)
- Reducer- (Concentric & Eccentric)
- Nipple - (Swage & Barrel)
- Stubend-(Long & Short)
- U Bend
- End Cap
- Laterals

FORGED FITTINGS



STAINLESS STEEL & DUPLEX STEEL FORGED FITTINGS

Size	: 1/2"NB to 4"NB (Socket Weld & Threaded)
Class	: 3000#, 6000#, 9000# in ANSI B 16.11
Stainless Steel	: ASTM A182 F-304/304H/304L/316/316H/316L/316Ti 309/310/317L/321/347/904L
Duplex Steel	: ASTM A182-F 51, F53, F55

ALLOY STEEL, CARBON STEEL & LTCS FORGED FITTINGS

Size	: 1/2"NB to 4"NB (Socket Weld &
Class	Threaded) : 3000#,6000#, 9000# in ANSI B
Alloy Steel	16.11 : ASTM A 182 F5,F9, F11, F21, F22 &
Carbon Steel	F91 : ASTM A 105 : A350 LF2
Low Temp. CS	

Other Services : Hot Dip Galvanizing, Sand Blasting. Customized Machining

COPPER & NICKEL ALLOYS FORGED FITTINGS

Size	: 1/2" to 12"
Schedule	: 10S/40S/80S
Copper Nickel	: C70600 (90:10), C71500 (70:30), Nickel/Monel / Inconel / Hastelloy

TYPE

- Elbow (45 & 90 Deg)
- Tee
- Union
- Cross
- Swage Nipple
- Coupling
- Cap
- Plug
- Busing
- Boss Insert

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

STRUCTURAL STEEL

G.I PIPES, COILS, SHEETS, GRATINGS,ETC.

Hot Dipped GI Pipe	
Coating	120 to 275 gram
Thickness	1.50 mm to 7.11 mm
Size	1/2" to 6" OD

Hot Dipped GI Coils	
Coating	120 to 275 gram
Thickness	0.40 mm to 3.80 mm
Size	1219 or customized

Hot Dipped GI Sheet	
Coating	120 to 275 gram
Thickness	0.4 mm to 3.80 mm
Size	1220x2440 or Customized

GI Gratings	
Coating	1 M x 6 M or Customized
Thickness	30 x 100 mm / 40 x 100 mm
Size	20 x 3 mm to 40 x 15 mm



Aluminium Sheets, Chequered Plates, etc.

Aluminium Sheets	
Coating	Alloy AA 1100 H 14 Temper
Thickness	0.5 mm to 20 mm
Size	1220 x 2440 or Customized

Chequered Plate	
Coating	AA 3105 Mill Finish
Thickness	2 mm to 5 mm
Size	1220 x 2440 or Customized



MS Plates, Coils, Sheets, Round Bar, Angles, Flat Bars, etc.

Mild Steel Plate	
Coating	A36, S275, S355 & SS400
Thickness	4 mm to 100 mm
Size	1.5 x 6, 2 x 6, 2.5 x 12, 3.25 x 12

Mild Steel Coils	
Coating	S275, S355, & SS400
Thickness	1.50 mm to 7.00 mm
Size	1219 or Customized

Mild Steel Sheets	
Coating	A36, S275, S355 & SS400
Thickness	1.50 mm to 150 mm
Size	1220 x 2400 or Customized

Mild Steel Flat Bar	
Coating	S235, S275 & SS400
Thickness	3 mm to 40 mm
Size	20 mm to 300 mm

Mild Steel Angle	
Coating	S235, S275 & SS400
Thickness	3 mm to 15 mm
Size	25 x 25 to 200 x 200 or Customized

Mild Steel Round Bar	
Coating	S275, S355 & SS400
Thickness	10 mm to 1500 mm
Size	6 m / 12 m or Customized



UB, UC, JIS Beam, I Beam, H Beam and Channels

Universal Beams	
Standard	S275 & S355
Size	127 x 76 to 1016 x 305 mm

Universal Columns	
Standard	S275 and S355
Size	152 x 152 to 356 x 406 mm

I Beams	
Standard	S235, S275 & SS400
Size	100 x 50 to 900 x 300 mm

I Beams	
Standard	S235, S275 & SS400
Size	100 x 50 to 750 x 210 mm

H Beam - HEA and HEB	
Standard	S235, S275 & SS400
Size HEA	96 x 100 to 990 x 300 mm
Size HEB	100 x 100 to 1000 x 300 mm

U Channel / UPN	
Coating	S235, S275 & SS400
Thickness	8.0 x 4.5 to 40.0 x 11.0
Size	76 x 38 to 381 x 102



Stainless Steel Long Products and Flats

Stainless Steel Sheet	
Grade	304, 304L, 316 & 316L
Finishes	2B to No.8 (Mirror finish)
Thickness	0.30 mm to 20 mm
Size	1220 x 2440 or Customized

Stainless Steel Pipes	
Grade	304, 304L, 316 & 316L
Finishes	2B to No.8 (Mirror finish)
Thickness	1.50 mm to 10 mm
Size	1/2" to 30" NB



Brass / Bronze / Aluminium Round Bars, Hollow Bars and Bushings

Grades - RG5 - RG7 - RG10 PB2- AB2
(Equivalent to American, British and DIN Standards





PVC & CPVC



Pvc Sch-40 and Sch-80 and Cpvc Sch-80,
Polyproplene and HDPE Pipes, Fittings, and Valves For
Plumbing, Industrial, Electrical and Irrigation usage.



1)	EPT (Electrical Plastic Tubing)	-	To be encased in concrete.
	EPC-z40 (Electrical Plastic Conduit)	-	For direct burial underground.
	EB (Encased Burial)	-	To be encased in concrete.
	DB (Direct Burial)	-	For direct burial underground.
2)	Nominal Sizes from 1/2 in. to 1-1/2 in.	-	Plain end.
	Nominal Sizes from 2 in.	-	One end with solvent weld socket

Manufactured to	ASTM D1785-88-Schedule 40, 80, and ASTM D2665
Standard Length	4, 5.8 & 6 meters
Colour	Schedule 40 - White, Schedule 80 - Dark Grey.
	ASTM D 2665-White
Socket type	Solvent Weld / Plain end.
Manufactured to	NEMA TC-2, NEMA TC-6, and NEMA TC-8
Standard Length	3, 5.8 and 6 meters
Colour	Grey
Socket Type	Solvent Weld



+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

THREADED RODS

LEVEL SWITCHES

- Available for Low Temperature range as per ASTM A320 L7,L7M, B8,B8M etc.
- GI threaded bars in MS Steel and Carbon Steel
- Available for High Temperature range as per ASTM A193 B7, L7M etc.
- We also deals in duplex and super duplex material
- We also deals in SS304, SS316, B8, B8M
- All above products available in size range of M10 to M64 (Metric) and 3/8" to 4" (Imperial)






LEVEL SWITCHES

- Available for Low Temperature range as per ASTM A320 L7,L7M, B8, B8M etc.
- GI threaded bars in MS Steel and Carbon Steel
- Available for High Temperature range as per ASTM A193 B7, L7M etc.
- We also deals in duplex and super duplex material
- We also deals in SS304, SS316, B8, B8M
- All above products available in size range of M10 to M64 (Metric) and 3/8" to 4" (Imperial)

ANCHOR BOLTS/CUSTOM MADE FASTENER

- As per the Customer drawing fasteners like U bolt, Tie rods, Earth boss and foundation Bolts like L Type Anchor Bolt, J Type Anchor bolt, Plate welded Anchor bolt, Engineering studs etc.
- We also Manufacture special engineered threaded components as per customer's drawing.
- Custom made fasteners can be supplied in various grades like 4,6,8,8,87,L7, SS304,SS316 or customer specified grade.









INSTRUMENTATION & HYDRAULIC

Instrumentation and Hydraulic tubing in a comprehensive range of corrosion-resistant stainless steels and nickel alloys covering outer diameter (OD) 3 to 50 mm (0.118 to 1.968 inch).



Double Ferrule Fittings Single Ferrule Fittings, Pipe Fittings Imperial and Metric Sizes
Ss316, Brass, Monel and Exotic Materials

Ball Valves Check Valves Needle Valves
Relief Valves Metering Valves
PFA/PTFE Valves 3K, 6K and 10K Pressure
Ratings SS316, Brass, Monel
and Exotic Materials



* 2, 3 and 5 Valve Manifolds
* Direct and Remote Mount
* Multi-Port Gauge Valves
* 6K and 10K Pressure Ratings

PRESSURE TEMPERATURE GAUGES

Air Pressure Regulator Filter Water Separator with Pressure Gauge



Sight Flow Indicators





T.C. Diaphragm Pressure Gauge





FASTENERS







STRUCTURAL STEEL BOLTS



- Available in grades like ISO 8.8, 10.9, 12.9 ASTM A307, A325, A490, EN 14399, SAE Gr.5 and 8 and DIN & BS Standards.
- We deal with in duplex and super duplex material
- We also deal with SS304, SS316, BB, B8M
- Size range for ISO is from M3 to M80 in Metric Size and length is up to 500mm
- Size range for ASTM is from M10 to M36 and above as per customer's requirment.
- All the products mentioned above are available in size range of M10 to M64.

STUD BOLTS



- Available for High Temperature range as per ASTM A193 B7, B7M, B16, B8, B8m, etc
- Available for low Temperature range as per ASTM A320 L7, L7M,B8,B8M etc.
- We deal with duplex and super duplex material
- We also deal with SS304, SS316, B8, B8M
- All the products mentioned above are available in size range of M10 to M64 (Metric) and 3/8" to 4" (Imperial)

HEX NUTS



- Available Heavy Hex Nut ASTM A194 Gr.2H, 2HM, 4,7,7M,8and 8M
- Available Heavy Hex Nut ASTM A563 85/105 Available Hex Nut DIN934 Cl.5, Cl.8, Cl10 We deal with duplex and super duplex material
- We also deal with SS304, SS316, B8, B8M
- All above products available in size range of M10 to M64 (Metric) and 3/8" to 4" (Imperial)

FLANGES



Heat-Resisting Steel

N08020
N06022 Alloy 20
N04400 Hastelloy C 22
N06600 Monel 400
N06625 Alloy 600
N08800 Inconel 625
N08810 Alloy 800
N08811 Alloy 800 H
N08825 Alloy 800 H/T
N10276 Inconel 825
Hastelloy c276

Fine Grain/Low Temp Steel

A350 LF2
A694-F42
A694-F46
A694-F52
A694-F56
A694-F60
A694-F65
A694-F70

High Temperature Steel

A105/N/C21
A516 Gr.70
A182-F1
A182-F5
A182-F9
A182-F11
A182-F12
A182-F22
A182-F91

Heat-Resisting Steel

A182-F304
A182-304H
A182-304L
A182-F310
A182-F316
A182-F316H
A182-F316L
A1820F316TI
A182-F317L
A182-F321
A182-F321H
A182-F347
A182-F347H
904L

Duplex / Super Duplex

ASME/ASTM
A182-F51/60
A182-F53
A182-F55
A182--F44/6MOAL-6XN



MISCELLANOUS




















INDUSTRIAL VALVES

GATE, GLOBE & CHECK VALVES

- Class125 to 4500, Cast & Forged Steel - CS, SS & Alloy Steels
- Pressure-seal & Bolted-Bonnet, Valves for Power,
- Cryogenic Valves, Bellow-sealed Valves
- Pressure rating - #150 to 4500,





BUTTERFLY VALVES

- Tripple-offset, Metal-seated
- Class150 to 600, CS, SS & Alloy Steels
- API monogrammed, SIL-3 capable
- Flanged, Fabricated Steel
- Pressure rating up to PN 25
- Wafer, Lugged & Flanged
- CI, SG Iron, CS & SS Body
- Integrally-moulded Seat

BALL VALVES

- Cast & Forged Steel - CS, SS & Alloy Steels
- Metal & Soft-Seated
- Trunnion-mounted, Floating Ball Valves
- Pressure Rating - #150 to 2500





DOUBLE BLOCK AND BLEED PLUG VALVES

- Class 150 & 600
- CS, SS & Alloy Steels
- API Monogrammed



+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

CAST IRON DWV PIPE FITTINGS SYSTEMS



Products :

A full line of service and extra-heavy cast iron soil pipe and fittings from 2" to 15," and double-hub pipe from 2 to 6". Hub-less pipe and fittings, from 1" to15".

- Service Weight Pipe & Fittings
- Extra Heavy Pipe & Fittings
- No-Hub Pipe & Fittings, Speciality Plugs
- No-Hub Couplings, Compression Gaskets.













+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

FLOWMETERS

- Vortex flow meter temperature pressure compensation
- Vortex Flowmter
- Electromagnetic Flowmeter with Field Mounted
- Flow Rate Indicator, Totalizer & 4-20 Ma out put





ROTAMETERS

- Glass Tube Rotameter
- Metal Tube Rotameter
- Purge Rotameter
- By-pass Metal Tube Rotameter
- Horizontal Metal Tube Rotameter

FLOWMETERS & FLOW SWICHES

- Hand Hold Ultrasonic Flowmeter
- Clamp on type Ultrasonic Flowmeter with Remote Display
- Oval Gear Flowmeter OGFM Series
- Flow switch with Flame proof Enclosure
- Woltman Type Water Meter with Magnetic Drive
- Single Jet Water Meter with Magnetic Drive





FLOW ELEMENTS

- Orifice Plate
- Orifice Plate with WNRF Flange Assembly
- Differential Pressure Transmitter
- Integral Orifice Flange Assembly (SORF)
- Condensate Pot
- Averaging Tube

LEVEL INDICATOR

- Side Mounted Magnetic Level Indicator
- Reflex Level Indicator
- Transparent Level Indicator
- Tubular Level Indicator
- Float and cord Type level Indicator
- Top Mounted Magnetic Level Indicator with High & Low Level Switch





LEVEL TRANSMITTERS

- Ultrasonic Level Indicator & Transmitter
- Hydrostatic Level Indicator Transmitter
- Capacitance Level Indicator, Transmitter and High Low Switch
- Side Mounted Hydrostatic Level Indicator Transmitter

LEVEL SWITCHES

- Side Mounted Magnetic Level Switch
- Mini Level Switches
- Displacer Level Switch with One Level Control Paint
- Top Mounted Magnetic Level Switch
- Rotary Paddle Level Switch
- Conductivity Level Switch





PRESSURE GAUGE & PRESSURE TRANSMITTERS

- Industrial Pressure Gauge with Glycerine Filled
- General Purpose Pressure Gauge
- Diaphragm Pressure Gauge
- Digital Pressure Gauge
- Pressure Indicator Transmitter
- Differential Pressure Switch

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

FRP/GRP PIPES & PIPES FITTINGS



FRP/GRP PIPES & Pipe Fittings are now being accepted all Over in Chemical, Petroleum, Gas, Water Transportation, Sea Water, Sewerage, Gas, Water Transportation, Sea Water, Sewerage, etc. GRP/FRP pipes are competing with conventional material like Ductile Iron, Epoxy Coated Ma, PVC, HDPE because of its major advantage of being non-corrosive in nature and long life with proper selection of resin. FRP pipes are ranging from 200 mm dia, up to 2600 mm dia, and capable of withstanding pressures up to 30 bars, are capable of withstanding pressures up to 30 bars, are now being used commonly in the desalination industry. GRP/FRP pipes have an inherent advantage of high corrosion resistance sea water, cold water for power Plants, chlorine/acid and brine solutions. They can operate continuously at higher temperatures and installation can be done above-ground, at sub-sea level as well as underground for cover depths of 8m. Fiberglass reinforced piping systems are time tested because they have proven their durability and value in stony environments and brutal applications for decades. Following factors lead GRP/FRP pipes ahead from any other pipe.

Light Weight: FRP/GRP pipes & Pipe Fittings weights only 25% as much as similar steel pipe and 10% as much as similar concrete product GRP/FRP pipes are ligh weighted, hence easier handling, daster installation andlow transportation costs. The use of heavy equipment is practically eliminated.

Corrosion Resistance: GRP/FRP Piping System are resistant to corrosion both inside & outside. These pipes has been used for handling dilute acids, saturated brine, organic solvents and other corrosive chemical but there is zero corrosion as result additional lining and exterior coating are not required.

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

LINED PRODUCTS



PTFE / PFA / FEP
PVDF / HDPE

All under one roof

Fluoropolymers lined, pipes, fittings, valves, expansion joints, coated, lined vessels & columns












+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

ALIGNMENT PRODUCTS



PRE-CUT SHIM



- Made Of High Quality Stainless Steel (Grade 304/316/321), Allowing. Re-use.
- Easy To Fit And To Remove
- Close Tolerances For Accurate Alignment
- Fully De-burred And Perfectly Flat.
- Pre Cut Shims Are Supplied In Packs Of 10 And Complete Kits Are Also Available.
- Each Shim Is Permanently Marked With The Respective Thickness For Quick And Easy Identification.
- All The Corners Are To Be Rounded Off To Suitable Radius Without Sharp Edges.
- Tough And High Hardness Shim Prevent Thickness Deformation.

READY-CUT SHIM

FEATURES:-

- Manufactured using Die-Punch Process and Laser Cutting.
- Perfectly Flat, absolutely Burr-free.
- Each Shim is permanently marked with the respective thickness for quick and identification.
- Makes alignment an easier task.

MATERIAL: STAINLESS STEEL, BRASS, COPPER, M.S
THICKNESS:0.05,0.10,0.20,0.50,1.00,2.00,3.00,4.00,5.00 & 6.00 MM



SHIM PACK



For accurate vertical machinery alignment

- Accurate machine adjustment is an essential element of any alignment process
- SE single slot pre-cut shims are available in five different dimensions and in ten different thicknesses,
- in pack sizes of 10 pieces.

SHIM KIT BOX

For accurate vertical machinery alignment.

- Accurate machine adjustment is an essential element of any alignment process.
- Each kit of Gulf Pipe S & S single slot pre-cut shims offers a combination of popular shim dimensions and/or thicknesses.



+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com

SS CABLE TIES/TAGS



Stainless steel cable ties are the most reliable and reputed brand delivering high quality engineered cable ties which provide solutions to all your clamping requirements. Cable ties are used in varied industries and perform host of other clamping solutions worldwide.

Stainless steel cable ties are uniquely designed and subjected to rigorous physical and chemical testing to ensure compliance with the international quality standards and safety of your clamping functions. The cable ties have burr free and rounded edges which makes them suitable for fast and easy applications. The cable ties are designed to withstand harsh environments and can be operated manually or by hand tool.

Cable ties are offered in both AISI 304 (EN DIN 1.4301) and AISI 316 (EN DIN 1.4401) stainless steel grade. The cable ties are available in coated & uncoated types. The cable ties can be used for indoor, outdoor and underground applications.

GULF PIPE SUPPLY W.L.L. pioneers in providing engineering solutions including designing, testing, validation and stimulation that can modify standard clamping solutions or develop new solutions for your specific project needs.











OUR CLIENT

Saudi Aramco · سابك · Sadara · Ma'aden · satorp

Petro Rabigh · SWCC · SAMSUNG ENGINEERING · BECHTEL · TECHNICAS REUNIDAS · FLUOR FLUOR ARABIA LIMITED

LARSEN & TOUBRO · Eni Snamprogetti · HYUNDAI · THE LINDE GROUP · SINOPEC Engineering

OUR SUPPLIERS

MAASS GLOBAL GROUP · VIRAJ · SARCO STOPPER · ULMA · CHARLOTTE PIPE AND FOUNDRY COMPANY · BONNEY FORGE

SSP · Jazeera Steel · ernefittings · INTERFIT INDIA LIMITED · KLINGER · DELCORTE S.A. FRANCE

ZENITH · Fabco Plastic · NEPROPLAST · METALFAR · TUBOS REUNIDOS · TPCO · OUTOKUMPU ARMETAL

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com



GULF PIPE
SUPPLY W.L.L.
BAHRAIN

CUSTOMER SATISFACTION
SAFETY
QUALITY &
RELIABILITY

VISION رؤية 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

ADDRESS : SHOP NO.-7B & 7G, BUILDING-07, ROAD-0401, BLOCK-0604, AL-QARYA, SITRA INDUSTRIAL AREA, KINGDOM OF BAHRAIN

+973-33864989 / +973-35390189 (BAHRAIN) +966-547751211 (K.S.A.) www.gulfpipebahrain.com akmal@gulfpipesupply.com / sales@gulfpipesupply.com